

MENU DISPLAYS

Armed Status	1	2	3	4	5	6	7	8
Time Display	1	2	3	4	5	6	7	8
Arm/Disarm	1	2	3	4	5	6	7	8

STATUS LIST

Display Keypads:

System Monitor Troubles	1	2	3	4	5	6	7	8
Fire Zones	1	2	3	4	5	6	7	8
Burglary Zones	1	2	3	4	5	6	7	8
Supervisory Zones	1	2	3	4	5	6	7	8
Panic Zones	1	2	3	4	5	6	7	8
Emergency Zones	1	2	3	4	5	6	7	8
Auxiliary 1 Zones	1	2	3	4	5	6	7	8
Auxiliary 2 Zones	1	2	3	4	5	6	7	8

PRINTER REPORTS

Arm/Disarm Reports	NO	YES
Zone Reports	NO	YES
User Command Reports	NO	YES
Door Access Reports	NO	YES
Supervisory Reports	NO	YES

HOST LOG REPORTS

Modem Setup:	-----	

Arm/Disarm Reports	NO	YES
Zone Reports	NO	YES
User Command Reports	NO	YES
Door Access Reports	NO	YES
Supervisory Reports	NO	YES

AREA INFORMATION

Area Information programming is not required when using the XR2400F.

ZONE INFORMATION

XR2400F Zone Information		Type	Fire	Disarmed Open			Disarmed Short			Armed Open			Armed Short			Swinger	Prewarn	Entry Delay	Retard Delay	Presignal	Fast Response	Cross Zone	Priority	Style
Assign area and disarm condition for NT, DY, EX, A1, A2, and AR only		-- NT	Bell	Message	Output	Action	Message	Output	Action	Message	Output	Action	Message	Output	Action									
Assign Prewarn and Entry Delay for EX only		DY EX	Output	A	S	P	A	S	P	A	S	P	A	S	P	N	1	1	N	1	N	N	N	
Assign Retard and Presignal for FI, SV, A1, A2, and FV only		FI PN EM SV A1 A2 FV AR	1 to 10 100 to 299	Y	A	S	A	S	P	A	S	P	A	S	P	N	to	to	N	to	N	N	N	
Abbr.				N	L	M	L	M	F	L	M	F	L	M	F	or	8	4	or	8	or	or	or	TGL ARM DIS STEP MNT
NIGHT		NT		-	0	-	-	0	-	A	0	-	A	0	-	Y					N	N	N	
DAY		DY		T	0	-	T	0	-	A	0	-	A	0	-	Y					N	N	N	
EXIT		EX		-	0	-	-	0	-	A	0	-	A	0	-	Y	1-8	1			N	N	N	
FIRE		FI								T	0	-	A	0	-	N			N	+	N	N	N	
PANIC		PN								T	0	-	A	0	-	N					N	N	N	
EMERGENCY		EM								T	0	-	A	0	-	N					N	N	N	
SUPERVISORY		SV								T	0	-	A	0	-	N			N	+	N	N	N	
AUXILIARY 1		A1		T	0	-	A	0	-	T	0	-	A	0	-	N			N	+	N	N	N	
AUXILIARY 2		A2		T	0	-	A	0	-	T	0	-	A	0	-	N			N	+	N	N	N	
FIRE VERIFY		FV								T	0	-	A	0	-	N					N		N	
ARMING		AR																					TGL	
No.	Name																							
1	NAC ONE	SV								T			T											
2	NAC TWO	SV								T			T											
3	POWER SUPPLY BATTERY	SV								T			T											
4	POWER SUPPLY AC	SV								T			T											
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
21																								
22																								
23																								
24																								
31																								
32																								
33																								
34																								
41																								
42																								
43																								
44																								
51																								
52																								
53																								
54																								
61																								
62																								
63																								
64																								
71																								
72																								
73																								
74																								
81																								
82																								
83																								
84																								

■ = functions are not available for this zone. - = default is blank for this function. + = Retard Delay must be YES to select Presignal.

LT-0561 (4/03) © 2002-2003 Digital Monitoring Products, Inc.

 Digital Monitoring Products	800-641-4282	INTRUSION • FIRE • ACCESS • NETWORKS
	www.dmp.com	2500 North Partnership Boulevard
	Made in the USA	Springfield, Missouri 65803-8877