



**NETWORK OPTIONS (XR100N only)**

DHCP NO YES  
 Local IP Address - - - - -  
 Gateway Address - - - - -  
 Subnet Mask - - - - -  
 DNS Server - - - - -  
 734N Listen Port - - - - - (Default = 2002)  
 734N Passphrase - - - - -

**DEVICE SETUP**

| # | Device          |                          | Device Name | Wireless? | Serial Number | Supervision Time (0, 60, 240) | Access Areas (1-8) | Egress Areas (1-8) | Display Areas (1-8) | Strike Time (0-250 sec) | Strike Delay (0-9 min) | Fire Exit | Output Group | Override | Auto Force Arm | Door Real Time | Door Force Msg |
|---|-----------------|--------------------------|-------------|-----------|---------------|-------------------------------|--------------------|--------------------|---------------------|-------------------------|------------------------|-----------|--------------|----------|----------------|----------------|----------------|
|   | Type            | Comm. Type               |             |           |               |                               |                    |                    |                     |                         |                        |           |              |          |                |                |                |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |
|   | DOOR KPD FT EXP | KPD-BUS NETWORK WIRELESS |             | N Y       |               |                               |                    |                    |                     |                         |                        | N Y       | N Y          | N Y      | N Y            | N Y            | N Y            |

**DEVICE SETUP (continued)**

| # | 734 734N Option | Activate Zone 2 Bypass | Zone 2 Bypass Time (20-240) | Relock on Zone 2 Change? | Activate Zone 3 Rex? | Zone 3 Strike Time? (5-250) | Activate Onboard Speaker? | Card Options   | Wiegand Code Length (1-255) | Site Code Position (0-255) | Site Code Length (1-16) | User Code Position (0-255) | User Code Length (734:16-32) (734N:1-255) | Require Site Code? | Site Code Up to 8 Codes (734:0-999) (734N:1-65535) | No of User Code Digits (734: 4-10) (734N: 1-10) | No Communication with Panel |
|---|-----------------|------------------------|-----------------------------|--------------------------|----------------------|-----------------------------|---------------------------|----------------|-----------------------------|----------------------------|-------------------------|----------------------------|---|--------------------|--|---|-----------------------------|
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |
|   | N Y             | N Y                    |                             | N Y                      | N Y                  |                             | N Y                       | DMP CUSTOM ANY |                             |                            |                         |                            |   | N Y                |  |   |                             |

## MESSAGING SETUP

Enable Messaging **NO** YES  
 System Name \_\_\_\_\_  
 Destination 1 \_\_\_\_\_  
 Destination 1 User Number - - - - -  
 Destination 2 \_\_\_\_\_  
 Destination 2 User Number - - - - -  
 Destination 3 \_\_\_\_\_  
 Destination 3 User Number - - - - -  
 Email Comm Type **NET** CELL  
 O/C Email **NO** YES  
 O/C SMS **NO** YES  
 Monthly Limit - - - - (0-999, Default = 0)  
 SMTP Server \_\_\_\_\_  
 SMTP Port - - - - -  
 SMTP Username \_\_\_\_\_  
 SMTP Password \_\_\_\_\_  
 From Email \_\_\_\_\_

## REMOTE OPTIONS

Remote Key - - - - -  
 Remote Disarm **NO** YES  
 Armed Answer Rings - - (0 to 15, default = 8)  
 Disarmed Answer Rings - - (0 to 15, default = 8)  
 PC Modem **NO** YES  
 Alarm Receiver Auth **NO** YES  
 Service Receiver Auth NO **YES**  
 Manufacturer Auth **NO** YES  
 Allow Network Remote NO **YES**  
 Network Programming Port - - - - (Default = 2001)  
 Encrypt Network Remote **NO** YES  
 Allow Cellular Remote NO **YES**  
 First GPRS APN - - - - -  
 (Default = SECURECOM400)  
 Second GPRS APN - - - - -  
 (Default = SECURECOM400)  
 Encrypt Cellular Remote **NO** YES  
 Entre Connection **NONE** NET  
 Entre Incoming TCP Port - - - - (Default = 2011)  
 Entre IP Address - - - - -  
 Entre Outbound TCP Port - - - - (Default = 2001)  
 Entre Backup IP Address - - - - -  
 Entre Backup TCP Port - - - - (Default = 2001)  
 Entre Checkin Minutes - - - (0, 3-240 minutes, default = 0)  
 Entre Passphrase - - - - -  
 Send Local Changes **NO** NET DD  
 Remote Change IP - - - - -  
 Remote Change Port - - - - (Default = 2002)  
 Remote Phone No - - - - -

## SYSTEM REPORTS

Abort Reports **NO** YES  
 Restoral Reports NO **YES** DISARM  
 Bypass Reports NO **YES**  
 Schedule Change Rpts NO **YES**  
 Code Change Reports NO **YES**  
 Access Keypads **1 2 3 4 5 6 7 8**  
 Ambush **NO** YES

## SYSTEM OPTIONS

System **AREA** A/P H/A GST  
 Instant Arming **NO** YES  
 Closing Wait **NO** YES  
 Entry Delay 1 - - - - (30 to 250 sec, default = 30)  
 Entry Delay 2 - - - - (30 to 250 sec, default = 60)  
 Entry Delay 3 - - - - (30 to 250 sec, default = 90)  
 Entry Delay 4 - - - - (30 to 250 sec, default = 120)  
 Cross Zone Time - - - - (4 to 250 sec, default = 4)  
 Zone Retard Delay - - - - (0 to 250 sec, default = 10)  
 Power Fail Delay Hrs - - - (0 to 15 hours, default = 1)  
 Swinger Bypass Trips - - - (0 to 6, default = 2)  
 Reset SwngR Bypass **NO** YES  
 Time Change NO **YES**  
 Hours from GMT - - - (0 to 23, default = 6)  
 Latch Supervisory NO **YES**  
 Programming Language  
 Primary Language **ENGLISH** SPANISH FRENCH  
 Secondary Language **NONE** ENG SPN FRN  
 User Language  
 Primary Language **ENGLISH** SPANISH FRENCH  
 Secondary Language **NONE** ENG SPN FRN  
 Bypass Limit - - (0 to 8, default = 0)  
 Wireless House Code - - (0, 1 to 50, 99, default = 0)  
 Detect Wireless Jamming **NO** YES  
 Wireless Audibles ANY **DAY** MIN  
 Enable Keypad Panic Keys NO **YES**  
 Occupied Premise NO **YES**  
 Enhanced Zone Test **NO** YES  
 Send 16 Character Names NO **YES**  
 Keypad Armed LED **ALL** ANY  
 Use False Alarm Question **NO** YES  
 Change Own User Code **NO** YES  
 Panic Supervision **NO** YES

## BELL OPTIONS

Bell Cutoff Time - - - (0 to 99 minutes, default = 15)  
 Automatic Bell Test **NO** YES  
 Bell Output - - - -  
**Bell Action . . .**  
 Fire Zones Steady **Pulse** Temporal None  
 Burglary Zones **Steady** Pulse Temporal None  
 Supervisory Zones Steady Pulse Temporal **None**  
 Panic Zones Steady Pulse Temporal **None**  
 Emergency Zones Steady Pulse Temporal **None**  
 Auxiliary 1 Zones Steady Pulse Temporal **None**  
 Auxiliary 2 Zones Steady Pulse Temporal **None**

## OUTPUT OPTIONS

Cutoff Output 1 2 3 4 5 6  
 Cutoff Time - - - - (0 to 99 minutes, default = 0)  
 Comm Fail Output - - - -  
 Fire Alarm Output - - - - Phone Trouble Output - - - -  
 Fire Trouble Output - - - - Late to Close Output - - - -  
 Panic Alarm Output - - - - Device Fail Output - - - -  
 Ambush Output - - - - Sensor Reset Output - - - -  
 Entry Output - - - - Closing Wait Output - - - -  
 Exit Output - - - - Arm-Alarm Output - - - -  
 Ready Output - - - - Supv Alarm Output - - - -

**OUTPUT INFORMATION**

| Output No. * | Output Name | Real-Time Status Reports<br>N or Y | Serial Number | Superv. Time<br>(0, 3, 15, 60 min.) | Trip with Panel Bell<br>(YES or NO) |
|--------------|-------------|------------------------------------|---------------|-------------------------------------|-------------------------------------|
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |
|              |             |                                    |               |                                     |                                     |

\* Output Numbers = 0 to 6, 450 to 474 (slow wireless output response), 480 to 499 (fast wireless output response), 500 to 599, D1 to D8, G1 to 20

**OUTPUT GROUPS**

| # | Name | Output Number |
|---|------|---------------|
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |
|   |      |               |

**MENU DISPLAY**

- Armed Status      **1 2 3 4 5 6 7 8**
- Time Display      **1 2 3 4 5 6 7 8**
- Arm/Disarm        **1 2 3 4 5 6 7 8**

**STATUS LIST**

- Display Keypads:
- System Monitor Trbl **1 2 3 4 5 6 7 8**
- Fire Zones        **1 2 3 4 5 6 7 8**
- Burglary Zones    **1 2 3 4 5 6 7 8**
- Supervisory Zones **1 2 3 4 5 6 7 8**
- Panic Zones        1 2 3 4 5 6 7 8
- Emergency Zones   1 2 3 4 5 6 7 8
- Auxiliary 1 Zones   1 2 3 4 5 6 7 8
- Auxiliary 2 Zones   1 2 3 4 5 6 7 8
- Communication Path **NO**      YES      ALL  
Trouble

**PC LOG REPORTS**

- Net IP Address:      -----
- Net IP Port:         -----
- Arm/Disarm Reports **NO**      YES
- Zone Reports        **NO**      YES
- User Command Rpts **NO**      YES
- Door Access Reports **NO**      YES
- Supervisory Reports **NO**      YES
- Real-Time Status Rpts **NO**      YES

**AREA INFORMATION**

Exit Delay      \_ \_ \_   (30 to 250 seconds, default = 60)   Closing Code      **NO**      YES  
 Burglary Bell Output   \_ \_ \_   (0-6, 500-599, D1-D8, G1-20)   Any Bypass      **NO**      YES  
 Open/Close Reports   NO      **YES**      Area Schedules   **NO**      YES  
 Closing Check      **NO**      YES

| Area # | Area System Area Name | Accnt No. | Auto Arm | Bad Zones    | Auto Disarm | Armed Output | Late Output | Late Arm Delay | Common Area | Arm First Area |
|--------|-----------------------|-----------|----------|--------------|-------------|--------------|-------------|----------------|-------------|----------------|
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |
|        |                       |           | N Y      | BYP FORC REF | N Y         |              |             |                | N Y         | N Y            |

