



SecureCom video



FEATURES

- ▶ Install cameras wired IP or on a Wi-Fi network
- ▶ Manually initiate recording of video from VirtualKeypad.com™ or Virtual Keypad™ app
- ▶ Continuous video recording using the 8-Channel Network Video Recorder (NVR)
- ▶ Users can select any of the cameras remotely to view or capture video via their app or VirtualKeypad.com
- ▶ Cloud storage of clips for easy off-site archiving
- ▶ Wireless cameras can be quickly repositioned by the end user as needed
- ▶ Download clips to smartphone to quickly send to interested persons
- ▶ Use existing analog or IP cameras with 4 channel analog converter
- ▶ PoE (Power-over-Ethernet) - Use a PoE switch for easy installation and reliability
- ▶ Allows residential users to remotely look in on children or seniors
- ▶ Allows commercial users to observe employee activities, monitor certain areas or entrances
- ▶ Video verification available via Virtual Keypad app to the central station
- ▶ 720 HD 1.3 megapixel image quality



VIDEO PRODUCTS

Video cameras connected to residential and commercial security systems give users a powerful security tool. With cameras businesses and homeowners can check in on their premises at any time, as well as be prompted to determine the situation upon an alarm in the event of an intrusion. Central station operators can also assess the premises upon an alarm as live video and recorded clips are available immediately at the central station.

DMP Virtual Keypad™ app users will receive real-time alarm notification on their mobile device. Users can immediately cancel or verify the alarm from the same app screen that shows live-camera views from the premises or pre-alarm and post-alarm recorded clips.

CAMERA OPTIONS

Select from a range of wireless or wired IP cameras to meet the needs of each installation. Cameras are available in a variety of models including cube, dome, and other designs.

All cameras include infrared options and LED illumination for operation in low/no ambient light. Choose a camera with a motorized pan/tilt ability to completely survey the premises.

IMAGE CAPTURE OPTIONS

Users have the option not only to view the cameras attached to their system, but also to record video to document activity at their premises via the Virtual Keypad app or VirtualKeypad.com. All cameras can be programmed to automatically record 20-second video clips when motion is detected. The user can opt to receive an e-mail with the video clip any time a recording is made then view them via the app or download a clip to their smartphone.

RECORDER OPTIONS

Record and access video images using existing analog cameras through the analog converter, or use existing IP cameras through the NVR.

ADD-ON SALE

Video capability is a much-desired, value-added capability for your customers' systems. DMP forward/backward compatibility ensures that you can easily add cameras to existing systems as well as including them in new systems.

NVR PACKAGES

DMP offers two different IP camera packages featuring SecureCom Video's high-definition Network Video Recorder (NVR) in combination with our best-selling SecureCom cameras, both delivering the versatility of indoor/outdoor performance. All SecureCom cameras learn in and configure automatically for a plug-and-play installation within a couple of minutes.

These combined packages include four of either the SecureCom Bullet or SecureCom Dome cameras bundled with the NVR to offer you savings and yet everything you need for secure 720p HD video monitoring.




V-4050D-1



V-4010B-1

VIDEO VERIFICATION

DMP surveillance solutions includes significant enhancements in video verification, which provides the added benefit of visual information that is sent with alarm notifications to a monitoring station. As a result, operators can view the footage right away and determine whether the trigger is a false alarm or worthy of a police dispatch.



At the same time, users can also receive video verification on any alarm triggered into a DMP panel, which they can easily monitor and manage from anywhere via VirtualKeypad.com or the Virtual Keypad app. As a result, they can ensure police and/or fire departments are dispatched to a "real" alarm, plus they can prevent being assessed heavy fines for false alarms.

Video verification is available to be integrated into virtually any modern central station automation software simply and easily. There is no expensive or arduous integration process required.



INDOOR/OUTDOOR FIXED DOME INFRARED CAMERA

The V-4050D-1 has 1.3 megapixel resolution, 4 mm focal length, and IR LEDs for no/low light imaging at up to 30 meters.



INDOOR/OUTDOOR BULLET CAMERA

The V-4010B-1 has 1.3 megapixel resolution, 4 mm focal length, and IR LEDs for no/low light imaging at up to 30 meters.



HD IP MOTORIZED INDOOR CAMERA

The V-4030PT-1 has 1.0 megapixel resolution, 4 mm focal length, PIR detection and IR LEDs for no/low light imaging at up to 10 meters. The V-4030PT-1 also features a pan/tilt rotation.



INDOOR CUBE PIR CAMERA

The V-4020C-1 has 1.3 megapixel resolution, 4 mm focal length, PIR detection and IR LEDs for no/low light imaging at up to 10 meters.



SECURECOM CAMERA MOUNTING PLATE

White steel camera mounting plate for use with electrical single gang boxes and the SecureCom Wireless™ bullet or dome cameras.



4 CHANNEL ANALOG CONVERTER

The V-4404A provides video storage from analog/HD TVI cameras that are connected to the converter. This allows homeowners to check in on their premises, and central stations can see live video upon an alarm. Compatible with analog cameras, HD-TVI cameras, the Virtual Keypad app, and VirtualKeypad.com.



NETWORK VIDEO RECORDER

The DMP V-4408D NVR works hand-in-hand with Virtual Keypad Access to expand storage and manipulate multiple cameras. The NVR has ports for up to eight networked cameras and can store up to 2 terabytes of video. You can access that video from the NVR or directly from the Virtual Keypad app or VirtualKeypad.com. It's fast and simple to view security footage in live view. You can also easily download and export clips to other devices locally via a USB drive.

Supporting ONVIF® and SecureCom Wireless video cameras, our PoE NVR can be installed to fit most any need.



WIRELESS ACCESS POINT

This high-speed Wireless Access Point comes pre-configured for easy set up with SecureCom Video™ cameras. It offers 300Mbps wireless speed, supports multiple operation modes, PoE, WPA, and WPA2. WPS encrypted connection can be set up with a single-button push. Up to 100-foot range.

1080P RESOLUTION

This high-performance surveillance solution delivers crystal-clear 2.1 megapixel 1080 resolution images at 30fps. The 1080 resolution delivers zoom capabilities to reveal high-definition image details.



DW® MEGAPIX® SURFACE MOUNT OUTDOOR DOME IP CAMERA

The DWC-MF21M4TIRDMP has 2.1 megapixel 1080P resolution, 4 mm focal length, and Smart IR™, WDR and 3D DNR for quality video in challenging lighting environments.



DW® MEGAPIX® 1080P WEATHER RESISTANT INDOOR/OUTDOOR BULLET IP CAMERA

The DWC-MB721M4TIRDMP has 2.1 megapixel 1080P resolution, 4 mm focal length, and Smart IR™, WDR and 3D DNR for quality video in challenging lighting environments.

SPECIFICATIONS

Camera Specifications

V-4050D-1

Dimensions 4.4" Dia × 3.2" H

V-4010B-1

Dimensions 3.0" H × 2.4" W × 5.5" D

V-4030PT-1

Dimensions 5.5" H × 4.49" W

V-4020C-1

Dimensions 5.2" H × 2.8" W × 3.6" D

DWC-MF21M4TIRDMP

Dimensions 2.9" H × 4.9" W

DWC-MB721M4TIRDMP

Dimensions 6.4" H × 2.7" W

Camera Ordering Information

V-4050D-1 Indoor/Outdoor Fixed Dome Infrared Camera

V-4010B-1 Indoor/Outdoor Bullet Camera

V-4030PT-1 HD IP Motorized Indoor Camera

V-4020C-1 Indoor Cube PIR Camera

DWC-MF21M4TIRDMP DW MEGApix Surface Mount Outdoor Dome IP Camera

DWC-MB721M4TIRDMP DW MEGApix 1080p Weather Resistant Indoor/Outdoor Bullet IP Camera

Accessories Specifications

V-4404A

Dimensions 1.8" H × 12.4" W × 9.5" D

V-4408D

Dimensions 12.4" H × 15.2" W × 2.0" D

V-IP1006RR

Dimensions 1.4" H × 7.1" W × 4.9" D

V-4000-PLATE-1

Dimensions 5.3" Dia × 0.2" H

Accessories Ordering Information

V-4404A 4 Channel Analog Converter

V-4408D Network Video Recorder

V-IP1006RR Wireless Access Point

V-4000-PLATE-1 SecureCom Camera Mounting Plate

Compatibility

Stand-alone — Use with any DMP control panel or any other control panel when a DMP CellComLTE or iComSL™ is installed. For use with Virtual Keypad app or VirtualKeypad.com.