

XTLplus Series Programming Sheet

NAME _____ ACCOUNT NUMBER _____ DATE _____
 ADDRESS _____ CITY _____ STATE _____ ZIP _____



While filling out this programming sheet, keep in mind that factory default values are shown in **bold**.

COMMUNICATION

Account Number _____ (1 to 65,535 default = **12345**)
 Transmission Delay ____ (0, 15 to 45 sec., default = **30**)
 Communication Type **WIFI** CELL NET NONE
 Backup Cell **NO** YES
 Test Time ____ : ____ **AM** PM
 Wi-Fi Test Days ____ (0 to 60 days, default = **1**)
 Cell Test Days ____ (0 to 60 days, default = **1**)
 Check-In Minutes ____ (0, or 3 to 240 min., default = **0**)
 Fail Time ____ (0, or 3 to **240** min.)
 Send Comm Trouble **NO** YES
 First Cell APN **SECURECOM400**

Receiver 1 Programming:

Alarm Reports NO **YES**
 Supv/Trouble NO **YES**
 O/C & User **NO** YES
 Test Report NO **YES**
 First IP Address _____
 First IP Port _____ (default = **2001**)
 Second IP Address _____
 Second IP Port _____ (default = **2001**)

Receiver 2 Programming:

Receiver 2 Backup? **NO** YES
 Alarm Reports **NO** YES
 Supv/Trouble **NO** YES
 O/C & User **NO** YES
 Test Report **NO** YES
 First IP Address _____
 First IP Port _____ (default = **2001**)
 Second IP Address _____
 Second IP Port _____ (default = **2001**)

NETWORK OPTIONS

WPS (XTLplus Only) **NO** YES
 SSID (XTLplus Only) _____
 Wireless Security (XTLplus Only) W64 W128 WPA **WPA2**
 NONE
 Wireless Key (XTLplus Only) _____
 DHCP NO **YES**
 Local IP Address _____
 Gateway Address _____
 Subnet Mask _____
 DNS Server _____
 Programming Port _____ (default = **2001**)

DEVICE SETUP

Device 1
 Device Name _____
Device 2
 Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **HWL** 2GIG INT DSC Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**
Device 3
 Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **HWL** 2GIG INT DSC Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**

Device 4

Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **HWL** 2GIG INT DSC Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**

Device 5

Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **HWL** 2GIG INT DSC Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**

Device 6

Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **HWL** 2GIG INT DSC Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**

Device 7

Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **HWL** 2GIG INT DSC Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**

Device 8

Device Name _____
 Door **NO** YES
 Network **NO** YES
 1100T **NO** YES Serial # _____
 Wireless NO **YES** Serial # _____
 Supervision Time 0 60 **240**

REMOTE OPTIONS

Remote Key _____
 Manufacturer Authorization **NO** YES
 Alarm Receiver **NO** YES
 Service Receiver **NO** YES
 Disarm NO **YES**
 App Key _____

SYSTEM REPORTS

Opening/Closing Reports **NO** YES
 Abort Reports **NO** YES
 Zone Restoral Reports NO **YES** DISARM
 Bypass Reports NO **YES**
 Code Change Reports **NO** YES
 Ambush Reports **NO** YES
 Late To Open Minutes ____ (0 to 240 min.)
 Early To Close Minutes ____ (0 to 240 min.)
 Entry Check-in Protection NO **YES**

SYSTEM OPTIONS

System AREA A/P **H/S/A**
 Closing Code **NO** YES
 Closing Check **NO** YES
 Entry Delay 1 ____ (30 to 250 sec., default = **30**)

Entry Delay 2 __ __ (30 to 250 sec., default = **60**)
 Exit Delay __ __ (45 to 250 sec., default = **60**)

SYSTEM OPTIONS (CONTINUED)

Cross Zone Time __ __ (0, 4 to 250 sec.)
 Power Fail Delay __ (0, 1 to 9 hrs.)
 Swinger Bypass Trips __ (0 to 6, default = **2**)
 Reset Swinger Bypass **NO** YES
 Zone Activity Hours __ (0 to 9 hrs.)
 Arm Activity Days __ (0 to 99 days)
 Time Change NO **YES**
 Hours from GMT __ __ (0 to 23 hrs., default = **6**)
 Time Display NO **YES**
 House Code __ __ (1 to 50)
 Detect Wireless Jamming **NO** YES
 Trouble Audibles ANY **DAY** MIN
 Wireless Encryption ALL BOTH **NONE**
 Enter Passphrase *****
 Enable Keypad Panic Keys NO **YES**
 Occupied Premises **NO** YES
 Use False Alarm Question NO **YES**
 Weather Zip Code __ __ __ __ Default = **0**
 Celsius Temperature Option **NO** YES

BELL OPTIONS

Bell Cutoff Time __ __ (1 to 15 min., default = **5**)
 Automatic Bell Test **NO** YES
 Bell Output __ __ (0, 51-54, 61-64, F1-F20)

Bell Action . . .

Fire Zones	Steady	Pulse	Temporal	None
Burglary Zones	Steady	Pulse	Temporal	None
Supervisory Zones	Steady	Pulse	Temporal	None
Panic Zones	Steady	Pulse	Temporal	None
Emergency Zones	Steady	Pulse	Temporal	None
Auxiliary 1 Zones	Steady	Pulse	Temporal	None
Auxiliary 2 Zones	Steady	Pulse	Temporal	None
Carbon Monoxide (CO)	Steady	Pulse	Temporal 4	None

OUTPUT OPTIONS

Comm Fail Output __ __ (0, 51-54, 61-64, F1-F20)
 Fire Alarm Output __ __ (0, 51-54, 61-64, F1-F20)
 Panic Alarm Output __ __ (0, 51-54, 61-64, F1-F20)
 Entry Output __ __ (0, 51-54, 61-64, F1-F20)
 Begin Exit Output __ __ (0, 51-54, 61-64, F1-F20)
 End Exit Output __ __ (0, 51-54, 61-64, F1-F20)
 Ready Output __ __ (0, 51-54, 61-64, F1-F20)
 Armed Home Output __ __ (0, 51-54, 61-64, F1-F20)
 Armed Sleep Output __ __ (0, 51-54, 61-64, F1-F20)
 Armed Away Output __ __ (0, 51-54, 61-64, F1-F20)
 Armed All Output __ __ (0, 51-54, 61-64, F1-F20)
 Armed Perim Output __ __ (0, 51-54, 61-64, F1-F20)
 Armed Output __ __ (0, 51-54, 61-64, F1-F20)
 Disarmed Output __ __ (0, 51-54, 61-64, F1-F20)
 Burglary Output __ __ (0, 51-54, 61-64, F1-F20)
 Arm-Alarm Output __ __ (0, 51-54, 61-64, F1-F20)
 Heat Saver Temperature __ __ (0, 55 to 95 degrees)
 Cool Saver Temperature __ __ (0, 55 to 95 degrees)
 Carbon Monoxide (CO) __ __ (0, 51-54, 61-64, F1-F20)
 Zone Monitor Output __ __ (0, 51-54, 61-64, F1-F20)

OUTPUT SETUP (WIRELESS)

Output 51
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

Output 52
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __

Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

OUTPUT SETUP (CONTINUED)

Output 53
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

Output 54
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

Output 61
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

Output 62
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

Output 63
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO **YES**

Output 64
 Output Name __ __ __ __ __ __ __ __ __ __
 Serial # __ __ __ __ __ __ __ __
 Supervision Time 0 60 **240**
 Trip with Panel Bell NO YES

Note: Assign Output Numbers 51 to 54 for slow response time wireless outputs (activates within 15 seconds) or 61 to 64 for fast response time wireless outputs (activates within 1 second). Assign an 1135 Wireless Siren to any output number and it operates with a fixed 3 second response.

AREA INFORMATION

Area 1
 Area Name __ __ __ __ __ __ __ __ __ __
 Auto Arming **NO** YES
 Bad Zones **BYP** FORC REF (When using Schedules)
 Auto Disarming **NO** YES

Area 2
 Area Name __ __ __ __ __ __ __ __ __ __
 Auto Arming **NO** YES
 Bad Zones **BYP** FORC REF
 Auto Disarming **NO** YES

Area 3
 Area Name __ __ __ __ __ __ __ __ __ __
 Auto Arming **NO** YES
 Bad Zones **BYP** FORC REF
 Auto Disarming **NO** YES

Area 4
 Area Name __ __ __ __ __ __ __ __ __ __
 Auto Arming **NO** YES
 Bad Zones **BYP** FORC REF
 Auto Disarming **NO** YES

Area 5
 Area Name __ __ __ __ __ __ __ __ __ __
 Auto Arming **NO** YES
 Bad Zones **BYP** FORC REF
 Auto Disarming **NO** YES

Area 6
 Area Name __ __ __ __ __ __ __ __ __ __
 Auto Arming **NO** YES
 Bad Zones **BYP** FORC REF
 Auto Disarming **NO** YES

ZONE INFORMATION (CONTINUED)

XTLplus Series Zone Information	Key Fob	Type	Area	DMP Wireless										Disarmed Open		Disarmed Short		Armed Open		Armed Short		Receiver Routing	TGL ARM DIS STEP MNT													
				Comp. Wireless	Contact	External Contact	N/O	1114 Contact	Supervision Time	Comp. Supervision Time	LED Operation	Disarm-Disable	PIR Pulse Count	Sensitivity	Pet Immunity	Message	Output *	Action	Message	Output *	Action			Message	Output *	Action	Message	Output *	Action	Message	Output *	Swinger	Prewarn	Chime	Entry Delay	Cross Zone
Zone Type Defaults	N or Y	NT, EX, A1, A2, SV, AR, CO, IN, DB	INT, BDRM, PERIM, or 1 to 6	N or Y	INT or EXT	N or Y	1 or 2 or 3 or 4	0, 3, 60, 120, 240	0, 4H, 12H, 24H	N or Y	N or Y	2 or 4	Low or High	N or Y	A, T, L, -	S, P, T, M, F	A, T, L, -	S, P, T, M, F	S, P, T, M, F	A, T, L, -	S, P, T, M, F	S, P, T, M, F	S, P, T, M, F	S, P, T, M, F	S, P, T, M, F	S, P, T, M, F	N or Y	1 to 8	None, DB, ASC, DSC	1 or 2	N or Y	N or Y	0 to 99	0	NORM, 1, 2, BOTH	
NIGHT	N	NT		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
DAY	N	DY		N	INT	N	1	240	24H	Y	Y	4	Low	N	T	O	S	T	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
EXIT	N	EX		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
FIRE	N	FI		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
PANIC	N	PN		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
EMERGENCY	N	EM		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
SUPERVISORY	N	SV		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
AUXILIARY 1	N	A1		N	INT	N	1	240	24H	Y	Y	4	Low	N	T	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
AUXILIARY 2	N	A2		N	INT	N	1	240	24H	Y	Y	4	Low	N	T	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
FIRE VERIFY	N	FV		N	INT	N	1	240	24H	Y	Y	4	Low	N	T	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
ARMING	N	AR		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
CARBON MONOXIDE	N	CO		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
INSTANT	N	IN		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
DOORBELL	N	DB		N	INT	N	1	240	24H	Y	Y	4	Low	N	-	O	S	A	O	S	A	O	S	A	O	S	Y	DB			N	N	0	0		
Zone #	Zone Name	Serial Number	* Outputs = 51 to 54, 61 to 64, or F1-F20. = This function not available for this zone type.																																	
1																																				
2																																				
3																																				
4																																				
5																																				
6																																				
7																																				
8																																				
9																																				
10																																				



Designed, engineered, and manufactured in Springfield, Missouri using U.S. and global components.
 © 2021 Digital Monitoring Products, Inc.
 LT-1441 21044

INTRUSION • FIRE • ACCESS • NETWORKS
 2500 North Partnership Boulevard
 Springfield, Missouri 65803-8877
 888.436.7832 | DMP.com